GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

EFS&T Department – Forest Reservation – SPSR Nellore District and Division – Atmakur Range - Declaration – Dubagunta Block-B to an extent of 32.06 Ha. or 79.23 Acres of Compensatory Afforestation land in Sy.Nos.315, 315-1 etc., of Dubagunta Village of Anumasamudrampeta Mandal in SPSR Nellore District as Protected Forest under section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967) – Notification – Orders – Issued.

ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY (Section.II) DEPARTMENT

G.O.Ms.No.31 **Dated:12.05.2022**

Read :-

From PCCF & HoFF, A.P., Lr.Rc.No.3560/2022/WLR-1, dt.13.04.2022.

***

ORDER:

The appended notification in English and Telugu versions, under section 24 of the Andhra Pradesh Forest Act, 1967, (Act No.1 of 1967) for reservation of Dubagunta Block-B in Sy.Nos.315, 315-1 etc., of Dubagunta Village of Anumasamudrampeta Mandal in SPSR Nellore District to an extent of 32.06 Ha. or 79.23 Acres of Compensatory Afforestation land, submitted by Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur, in his letter read above, is approved and forwarded to the Commissioner of Printing, Stationery and Stores Purchase (Printing Wing), Andhra Pradesh, Vijayawada. He is requested to get the notification published both in English and Telugu in the next issue of the Andhra Pradesh Gazette and furnish Five (5) copies of the Gazette to the Government and Fifty (50) copies to the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur.

2. The District Collector, SPSR Nellore District, is requested to get the appended notification published in the District Gazette, after its publication in the Andhra Pradesh Gazette and on receipt of specific requisition from the District Forest Officer, SPSR Nellore District.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)
NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT

To
The Commissioner of Printing, Stationery and Stores Purchase (Printing),
Andhra Pradesh, Vijayawada (w.e.)
The District Collector, SPSR Nellore District (w.e)
The Principal Chief Conservator of Forests &HoFF,
Andhra Pradesh, Guntur (w.e)
The Chief Commissioner of Land Administration,
Andhra Pradesh, Vijayawada (w.e).

Copy to:
The District Forest Officer, SPSR Nellore District (w.e)
The Law (G) Department.
SF/SCs (Computer No.1697456)

// FORWARDED :: BY ORDER //

N. Jagadeeswari
SECTION OFFICER

NOTIFICATION

In exercise of the powers conferred by sub-section (1) of section 24 of the Andhra Pradesh Forest Act, (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that the forest land described in the schedule below (delineated in the map kept in the Office of the Principal Chief Conservator of Forests, AP, Guntur) to be a "Protected Forest" with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

SCHEDULE

Name of the District	:	SPSR Nellore
Name of the Division	:	Nellore
Name of the Range	:	Atmakur
Name of the Mandal	:	Anumasamudram Peta
Name of the Village	:	Dubagunta
Name of the Block proposed to be Protected Forest	:	Dubagunta Block "B"
Area of the Forest Block proposed to be Protected Forest	:	32.06 Ha. (or) 79.23 Ac.

DETAILS OF AREAS INCLUDED IN THE PROPOSED PROTECTED FOREST BLOCK

Sl. No.	Name of the Village	Sy. No.	Classification of the land	Total extent (in Ac.)	Area included in the Block (Ac. Cents)
(1)	(2)	(3)	(4)	(5)	(6)
1	Dubagunta	315	Patta	14.34	7.00
2	Dubagunta	315-1	Patta		2.50
3	Dubagunta	315-2	Patta		2.95
4	Dubagunta	316-1	Patta	5.40	2.83
5	Dubagunta	316-1-1	Patta		0.49
6	Dubagunta	318	Patta	5.30	2.84
7	Dubagunta	318-1	Patta		0.50
8	Dubagunta	319	Patta	9.20	7.50
9	Dubagunta	319-1	Patta		1.00
10	Dubagunta	319-2	Patta		0.40
11	Dubagunta	324	Patta	5.60	4.22
12	Dubagunta	438	Patta	6.70	1.66
13	Dubagunta	438-1	Patta		1.00
14	Dubagunta	438-2	Patta		0.90
15	Dubagunta	439	Patta	18.92	4.59
16	Dubagunta	439-1	Patta		4.00
17	Dubagunta	439-2	Patta		3.00
18	Dubagunta	439-3	Patta		1.33
19	Dubagunta	441	Patta	14.16	7.51
20	Dubagunta	441-1	Patta		1.00
21	Dubagunta	441-2	Patta		5.65
22	Dubagunta	442	Patta	5.60	1.50
23	Dubagunta	442-1	Patta		1.00
24	Dubagunta	444	Patta	10.10	2.40
25	Dubagunta	444-1	Patta		1.29
26	Dubagunta	444-2	Patta		1.50
27	Dubagunta	444-3	Patta		4.94

Sl. No.	Name of the Village	Sy. No.	Classification of the land	Total extent (in Ac.)	Area included in the Block (Ac. Cents)
(1)	(2)	(3)	(4)	(5)	(6)
28	Dubagunta	445	Patta	13.06	0.66
29	Dubagunta	445-1	Patta		1.50
30	Dubagunta	445-2	Patta		1.00
31	Dubagunta	445-3	Patta		0.57
Total:				**108.38**	**Ac.79.23 cents or 32.06 Ha.**

NORTH: Starting from Station No. 1, which is located at Latitude of 14.74012 and Longitude of 79.57996 runs upto Station No. 15 which is located at Latitude 14.74054 and Longitude 79.58321 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
1	2	87°	14	1	14.74012	79.57996	
2	3	08°	09	2	14.74012	79.58009	
3	4	88°	59	3	14.74020	79.58010	
4	5	15°	18	4	14.74022	79.58064	
5	6	99°	29	5	14.74038	79.58069	Along the boundary of Sy. No. 321.
6	7	100°	37	6	14.74034	79.58095	
7	8	101°	21	7	14.74028	79.58129	
8	9	182°	27	8	14.74024	79.58148	
9	10	132°	8	9	14.73999	79.58147	
10	11	120°	13	10	14.73996	79.58153	
11	12	51°	60	11	14.73989	79.58163	
12	13	69°	55	12	14.74023	79.58207	Along the boundary of Sy. No. 323
13	14	91°	41	13	14.74041	79.58255	
14	15	63°	35	14	14.74040	79.58293	
				15	14.74054	79.58321	

EAST: Starting from Station No. 15, which is located at Latitude of 14.74054 and Longitude 79.58321 runs upto Station No. 22 which is located at Latitude 14.73426 and Longitude 79.58473 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey			DGPS co-ordinates			Remarks
Station No.	Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	

From	To						
15	16	167°	120	15	14.74054	79.58321	Along the boundary of 324 (P)
16	17	165°	96	16	14.73950	79.58348	Along the boundary of 439 (P)
17	18	167°	105	17	14.73867	79.58371	
18	19	166°	101	18	14.73775	79.58392	Along the boundary of 439 (P) & 438 (P)
19	20	166°	101	19	14.73687	79.58415	Along the boundary of 446 (P) (Stream) & 445 (P)
20	21	169°	101	20	14.73599	79.58437	Along the boundary of 445 (P) & 443 (P) stream
21	22	167°	95	21	14.73510	79.58454	Along the boundary of 443 (P) stream &442 (P)
				22	14.73426	79.58473	

SOUTH: Starting from Station No. 22, which is located at Latitude of 14.73426 and Longitude 79.58473 runs upto Station No. 26 which is located at Latitude 14.73249and Longitude 79.58141as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
22	23	236°	87	22	14.73426	79.58473	Along the boundary of Rajavolu Sy. No. 125
23	24	242°	149	23	14.73382	79.58407	Along the boundary of Rajavolu Sy. Nos. 125 (P) & 124.
24	25	243°	167	24	14.73319	79.58284	

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
25	26	263°	6	25	14.73251	79.58148	
				26	14.73249	79.58141	

WEST: Starting from Station No. 26, which is located at Latitude of 14.73249 and Longitude 79.58141 runs up to Station No. 34 which is located at Latitude 14.73968 and Longitude 79.57992 and then runs up to station No. 1, the starting point which is located at Latitude of 14.74012 and Longitude of 79.57996 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
26	27	359°	134	26	14.73249	79.58141	Along the boundary of Sy. No. 440 (Cart track).
27	28	278°	163	27	14.73370	79.58139	Along the boundary of Sy. No. 314.
28	29	356°	178	28	14.73390	79.57989	Along the boundary of Sy. No. 299.
29	30	355°	124	29	14.73549	79.57976	
30	31	21°	78	30	14.73660	79.57966	
31	32	359°	126	31	14.73725	79.57992	
32	33	358°	145	32	14.73838	79.57991	
33	34	84°	6	33	14.73968	79.57987	Along the boundary of Sy. No. 288.

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
34	01	05°	48	34	14.73968	79.57992	Reaches station No.1, the starting point.
				01	14.74012	79.57996	

REMARKS

1). There are no enclosures to be admitted within the Block.

2). The following right of way/right of water course are admitted in each block:

i) There are two streams originated in the block. The details are as follows:

Sl.No.	Stream	Northern co ordinates		Southern co ordinates	
		Latitude	Longitude	Latitude	Longitude
1	**1st stream (in Sy.No. 446)**				
	Entry point	Originated in block at Sy.No.438			
	Exit point	14.73684	79.58415	14.73651	79.58423
2	**2nd Stream(in Sy.No.443)**				
	Entry point	Originated in block at Sy.No.444			
	Exit point	14.73541	79.58448	14.73489	79.58459

The above two streams are excluded from reservation.

ii) One cart track in Sy.No. 440 is passing through the block. The details are as follows:

Description	Cart track	Entry point		Exit point	
		Latitude	Longitude	Latitude	Longitude
North	Left side	14.73996	79.58153	--	--
	Right side	14.73989	79.58163	--	--
South	Left side	14.73724	79.58164	--	--
	Right side	14.73713	79.58172	--	--
West	Left side	14.73718	79.58078	--	--
	Right side	14.73715	79.58087	--	--
South	Left side	--	--	14.73250	79.58141
	Right side	--	--	14.73251	79.58148

The above cart track is excluded from reservation

3) In exercise of Powers conferred by the sub-section (1) of section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that all kinds of trees and all classes of trees in the said **Dubagunta Block "B"** Protected Forest to be reserved from the date of publication of this notification in Andhra Pradesh Gazette and District Gazette.

4) And prohibits, except in accordance with the rules made down under this Act, from the date of aforesaid the quarrying, or the burning of line, or charcoal or the collection of subjection of any manufacturing process or removal of any forest produce in the said **Dubagunta Block "B"** Protected Forest and the breaking up or clearing for cultivation for building, for handing cattle or for any other purpose of the said **Dubagunta Block "B"** Protected Forest.

NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT
EFS&T DEPARTMENT

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము 1967 (1967లోని మొదటి చట్టం) లోని 24 వ విభాగం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, ఆంధ్రప్రదేశ్ ప్రభుత్వం ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షనాధికారి, గుంటూరు వారి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది). ఈ ప్రకటనను ఆంధ్రప్రదేశ్ గెజిట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ఇందుమూలముగా ప్రకటిస్తున్నారు.

షెడ్యూలు

జిల్లా పేరు	:	శ్రీ పొట్టిశ్రీరాములు నెల్లూరు జిల్లా
ఆటవీ డివిజన్ పేరు	:	నెల్లూరు
రెవిన్యూ మండలం పేరు	:	అనుమ సముద్రం పేట
అటవీ రేంజి పేరు	:	ఆత్మకూరు
గ్రామమం పేరు	:	దూబగుంట
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	:	దూబగుంట బ్లాకు "బి"
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	:	32.06 హెక్టేరులు లేదా. ఎ 79.23 సెంట్లు

బ్లాకు నందు పొందు పరచబడిన ప్రదేశముల వివరములు

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
1	దూబగుంట	315	పట్టా	14.34	7.00
2	దూబగుంట	315-1	పట్టా		2.50
3	దూబగుంట	315-2	పట్టా		2.95
4	దూబగుంట	316-1	పట్టా	5.40	2.83
5	దూబగుంట	316-1-1	పట్టా		0.49
6	దూబగుంట	318	పట్టా	5.30	2.84
7	దూబగుంట	318-1	పట్టా		0.50

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
8	దూబగుంట	319	పట్టా	9.20	7.50
9	దూబగుంట	319-1	పట్టా		1.00
10	దూబగుంట	319-2	పట్టా		0.40
11	దూబగుంట	324	పట్టా	5.60	4.22
12	దూబగుంట	438	పట్టా	6.70	1.66
13	దూబగుంట	438-1	పట్టా		1.00
14	దూబగుంట	438-2	పట్టా		0.90
15	దూబగుంట	439	పట్టా	18.92	4.59
16	దూబగుంట	439-1	పట్టా		4.00
17	దూబగుంట	439-2	పట్టా		3.00
18	దూబగుంట	439-3	పట్టా		1.33
19	దూబగుంట	441	పట్టా	14.16	7.51
20	దూబగుంట	441-1	పట్టా		1.00
21	దూబగుంట	441-2	పట్టా		5.65
22	దూబగుంట	442	పట్టా	5.60	1.50
23	దూబగుంట	442-1	పట్టా		1.00
24	దూబగుంట	444	పట్టా	10.10	2.40
25	దూబగుంట	444-1	పట్టా		1.29
26	దూబగుంట	444-2	పట్టా		1.50
27	దూబగుంట	444-3	పట్టా		4.94
28	దూబగుంట	445	పట్టా	13.06	0.66
29	దూబగుంట	445-1	పట్టా		1.50
30	దూబగుంట	445-2	పట్టా		1.00
31	దూబగుంట	445-3	పట్టా		0.57
Total:				**108.38**	**ఎ 79.23 సెంట్లు లేదా 32.06 హెక్టేరులు**

సరిహద్దులు

ఉత్తరం: లేటిట్యూడ్ 14.74012 మరియు **లాంగి ట్యూడ్** 79.57996 వద్ద వున్న స్టేషన్ నెం. 1 ప్రయాణించి **లేటిట్యూడ్** 14.74054 మరియు **లాంగి ట్యూడ్** 79.58321 వద్ద వున్న స్టేషన్ నెం. 15 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
1	2	87°	14	1	14.74012	79.57996	
2	3	08°	09	2	14.74012	79.58009	
3	4	88°	59	3	14.74020	79.58010	
4	5	15°	18	4	14.74022	79.58064	
5	6	99°	29	5	14.74038	79.58069	సర్వేనెంబరు - 321. బౌండరీ వెంబడి వెళ్ళును
6	7	100°	37	6	14.74034	79.58095	
7	8	101°	21	7	14.74028	79.58129	
8	9	182°	27	8	14.74024	79.58148	
9	10	132°	8	9	14.73999	79.58147	
10	11	120°	13	10	14.73996	79.58153	
11	12	51°	60	11	14.73989	79.58163	
12	13	69°	55	12	14.74023	79.58207	సర్వేనెంబరు - 323 బౌండరీ వెంబడి వెళ్ళును
13	14	91°	41	13	14.74041	79.58255	
14	15	63°	35	14	14.74040	79.58293	
				15	14.74054	79.58321	

తూర్పు: లేటిట్యూడ్ 14.74054 మరియు **లాంగి ట్యూడ్** 79.58321 వద్ద వున్న స్టేషన్ నెం. 15ప్రయాణించి **లేటిట్యూడ్** 14.73426 మరియు **లాంగి ట్యూడ్** 79.58473 వద్ద వున్న స్టేషన్ నెం 22 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
15	16	167°	120	15	14.74054	79.58321	సర్వేనెంబరు - 324 (పీ) బౌండరీ వెంబడి వెళ్ళును
16	17	165°	96	16	14.73950	79.58348	సర్వేనెంబరు - 439 (పీ) బౌండరీ వెంబడి వెళ్ళును
17	18	167°	105	17	14.73867	79.58371	
18	19	166°	101	18	14.73775	79.58392	సర్వేనెంబరు - 439 (పీ)& 438 (పీ) బౌండరీ వెంబడి వెళ్ళును.
19	20	166°	101	19	14.73687	79.58415	సర్వేనెంబరు - 446 (పీ) వాగు & 445 (పీ) బౌండరీ వెంబడి వెళ్ళును.
20	21	169°	101	20	14.73599	79.58437	సర్వేనెంబరు - 445 (పీ) & 443 (పీ) వాగు బౌండరీ వెంబడి వెళ్ళును.
21	22	167°	95	21	14.73510	79.58454	సర్వేనెంబరు - 443 (పీ) వాగు & 442 (పీ) బౌండరీ వెంబడి వెళ్ళును.
				22	14.73426	79.58473	

దక్షిణము : **లేటిట్యూడ్** 14.73426 మరియు **లాంగి ట్యూడ్** 79.58473 వద్ద వున్న స్టేషన్ నెం. 22 ప్రయాణించి **లేటిట్యూడ్** 14.73249మరియు **లాంగి ట్యూడ్** 79.58141 వద్ద వున్న స్టేషన్ నెం 26 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
22	23	236°	87	22	14.73426	79.58473	రాజవోలు గ్రామ సర్వేనెంబరు - 125 బౌండరీ వెంబడి వెళ్ళును.
23	24	242°	149	23	14.73382	79.58407	రాజవోలు గ్రామ సర్వేనెంబరు – 125 (పీ) & 124 బౌండరీ వెంబడి వెళ్ళును
24	25	243°	167	24	14.73319	79.58284	
25	26	263°	6	25	14.73251	79.58148	
				26	14.73249	79.58141	

పడమర : **లేటిట్యూడ్** 14.73249 మరియు **లాంగి ట్యూడ్** 79.58141 వద్ద వున్న స్టేషన్ నెం. 26 ప్రయాణించి **లేటిట్యూడ్** 14.73968 మరియు **లాంగి ట్యూడ్** 79.57992 వద్ద వున్న స్టేషన్ నెం 34 వరకు మరియు **లేటిట్యూడ్** 14.74012 మరియు **లాంగి ట్యూడ్** 79.57996 వద్ద వున్న స్టేషన్ నెం 1 అనగా ప్రారంభ స్థానం నకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
26	27	359°	134	26	14.73249	79.58141	సర్వేనెంబరు - 440 (బండ్ల బాట) బౌండరీ వెంబడి వెళ్ళును

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
27	28	278°	163	27	14.73370	79.58139	సర్వేనెంబరు - 314 బౌండరీ వెంబడి వెళ్ళును.
28	29	356°	178	28	14.73390	79.57989	సర్వేనెంబరు - 299 బౌండరీ వెంబడి వెళ్ళును.
29	30	355°	124	29	14.73549	79.57976	
30	31	21°	78	30	14.73660	79.57966	
31	32	359°	126	31	14.73725	79.57992	
32	33	358°	145	32	14.73838	79.57991	
33	34	84°	6	33	14.73968	79.57987	సర్వేనెంబరు -288 బౌండరీ వెంబడి వెళ్ళును.
34	01	05°	48	34	14.73968	79.57992	ప్రారంభ స్థానమయిన స్టేషన్ నెం. 1 కు చేరును
				01	14.74012	79.57996	

రిమార్కులు

1) అనుమతింప బడిన రైట్ ఆఫ్ వే (రహదారులు/బాటలు) లేవు.

2) ప్రవేశము మరియు నీటి వినియోగపు హక్కు ఈ బ్లాకు నందు అనుమతించబడలేదు.

i) సదరు బ్లాకు నందు రెండు వాగులు వున్నవి. వాటి వివరాలు ఈ క్రింది విధంగా తెలుపదమయినది.

వ. సంఖ్య	వాగు	ఉత్తరపు కోఆర్డినేట్లు		దక్షిణపు కోఆర్డినేట్లు	
		లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)
1	**సర్వేనెంబరు 446నందు వున్నా మొదటి వాగు.**				
	ప్రారంభ స్థానము	**బ్లాకు నందున్న సర్వేనెంబరు** 438 నుండి ప్రారంభమయినది			
	బయటకు వెళ్ళు స్థానము	14.73684	79.58415	14.73651	79.58423
2	**సర్వేనెంబరు 443నందు వున్నా రెండవ వాగు.**				
	ప్రారంభ స్థానము	**బ్లాకు నందున్న సర్వేనెంబరు** 444నుండి ప్రారంభమయినది			
	బయటకు వెళ్ళు స్థానము	14.73541	79.58448	14.73489	79.58459

పైన వివరించిన రెండు వాగులు రిజర్వు నుండి తొలగించబడినవి.

ii) **సర్వే నెంబరు** 440 నందు గల బండ్ల బాట బ్లాకు నందు ఈ క్రింది విధముగా పోవును.

వివరము	బండ్ల బాట	ప్రారంభ స్థానము		బయటకు వెళ్ళు స్థానము	
		లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)
ఉత్తరము	ఎడమవైపు	14.73996	79.58153	--	--
	కుడివైపు	14.73989	79.58163	--	--
దక్షిణము	ఎడమవైపు	14.73724	79.58164	--	--
	కుడివైపు	14.73713	79.58172	--	--
పడమర	ఎడమవైపు	14.73718	79.58078	--	--
	కుడివైపు	14.73715	79.58087	--	--
దక్షిణము	ఎడమవైపు	--	--	14.73250	79.58141
	కుడివైపు	--	--	14.73251	79.58148

పైన వివరించిన బండ్ల బాట రిజర్వు నుండి తొలగించబడినవి.

3) అటవీ చట్టము- 1967 (1967లోని మొదటి చట్టం) లోని 26వ విభాగం, మొదటి సబ్ విభాగం ద్వారా సంక్రమించిన అధికారాలను పురస్కరించుకుని ప్రతిపాదిత దుబగుంట బ్లాకు "బి" రక్షిత అడవి నుండి అన్ని రకముల మరియు జాతుల చెట్లను, ఈ ప్రకటనను ఆంధ్ర ప్రదేశ్ గజెట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ప్రకటిస్తున్నారు.

4) మరియు రాళ్ళు క్వారీ చేయడం, సున్నం లేదా బొగ్గు కాల్చడం లేదా తయారీ పద్ధతులకు సంబంధించిన బ్రేకింగ్ గాని, క్లియర్ చేయడం గాని, కట్టడాలు గాని, పశువులు మేపుట గాని మరియు ఏ ఇతర పనులు గాని, సదరు చట్టం లోని నియమాల ప్రకారం తప్ప, దుబగుంట బ్లాకు "బి" రక్షిత అడవి నందు ఇందుమూలముగా నిషేదించడమయినది.